


Merloni Elettrodomestici



Model type: LS605STU

Commercial code: 10850









General notes

Technical Documentation guidelines

You can find herewith some generic information to simplify cunsulting of technical documentation:

- 1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.
- 2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.
- 3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.
- 4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.
- 5. The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:

REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics


INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

- 6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates
- 7.Technical documentation cover shows model name and its commercial codes



pdf_tavola_title_ENG

cod. 2090120





Spare parts list

Spare parts list cod. 2090120


| Ref. | Code | Substitute | Industrial code | Description | Notice |
|------|-----------|-------------------------|-----------------|--|-----------------|
| 000 | C00045762 | 1 C00042961 | | user instructions | |
| 001 | C00040971 | | | upper support - front | |
| 004 | C00041236 | 3 C00044607,1 C00050940 | | top cover - white | 0209033,0209033 |
| 004 | C00050940 | | | top cover - white | 0209033,0209033 |
| 006 | C00033591 | | | rear support - top | |
| 008 | C00041259 | 1 C00048158 | | upper basket | |
| 009 | C00040994 | | | roller - upper basket | |
| 009 | C00104638 | | | upper basket roller axis | |
| 010 | C00049688 | | | plate rack insert (lower rack) | |
| 012 | C00103276 | 1 C00044825 | | lower basket | |
| 013 | C00040993 | | | roller - lower basket (pivot pin = 104638 | |
| 014 | C00103279 | 1 C00048182 | | cutlery basket | |
| 015 | C00040986 | | | rear support - middle | |
| 016 | C00040987 | | | terminal block | n1045044 |
| 017 | C00041766 | | | lower rear support | |
| 018 | C00040975 | 1 C00041470 | | side panel right - white | |
| 019 | C00040976 | | | side support - rear rh | |
| 022 | C00041213 | 1 C00056475 | | door seal - bottom (kit) | n1045035 |
| 023 | C00042833 | | | hinge guide plastic rh - white | |
| 025 | C00040982 | | | front support - lower | |
| 026 | C00041254 | | | foot support | |
| 027 | C00042832 | | | hinge guide plastic lh - white | |
| 028 | C00033582 | | | door seal - top and sides | |

| 029 | C00033594 | | frame kit - door seal |
|-----|-----------|--------------|---|
| 030 | C00041528 | | support (door seal) ? - top |
| 030 | C00041529 | | edge trim - rh side panel |
| 030 | C00041530 | | edge trim - Ih side panel |
| 031 | C00040977 | | side support - rear lh |
| | | 4.000044.470 | |
| 033 | C00040974 | 1 C00041470 | side panel left - white |
| 034 | C00040970 | | side support - front lh 0209021 |
| 035 | C00039342 | | catch plate (cabinet) |
| 037 | C00044607 | | hook - top cover retention 0209033,0209033 |
| 037 | C00103930 | | hook - top cover retention 0209033,0209033 |
| 038 | C00040983 | | side support - front rh 0209021 |
| 040 | C00033576 | | basket runner - upper |
| 041 | C00106609 | | runner support - upper |
| 042 | C00033596 | | basket runner - lower |
| 043 | C00104282 | 1 C00104281 | rear support lh/rh -lower runner |
| 043 | C00104283 | | front support rh - lower runner |
| 043 | C00104284 | | front support Ih - lower runner |
| 044 | C00040996 | | runner stop - upper basket |
| 049 | C00041262 | | plinth panel white 0209016,0209016 |
| 049 | C00046908 | | plinth panel white 27 0209016,0209016 |
| 051 | C00042307 | | tray |
| 052 | C00037247 | | door spacer |
| 053 | C00040995 | | edge cover white |
| 054 | C00040992 | | sleeve - basket stop pin |
| 055 | C00040989 | | hoses bush |
| 058 | C00048283 | | side support - front lh 0209025,0209025,0209025, 0209025,0209021,0209021, |
| 058 | C00048284 | | side support - front rh 0209025,0209025,0209025, 0209025,0209021, 0209025,0209021, 0209021, |
| 058 | C00049681 | 1 C00050169 | side support - front rh 0209025,0209025,0209025, 0209025,0209021,0209021, |
| 058 | C00049682 | 1 C00050169 | side support - front lh 0209025,0209025,0209025, 0209025,0209021, 020902100000000000000000000000000000000 |
| 058 | C00050169 | | kit support - front lh 0209025,0209025,0209025, 0209021,0209021, |
| 060 | C00048287 | | ferodo boss 0209025,0209021 |
| 061 | C00050538 | | protection (hinge guide) - white 27 |



pdf_tavola_title_ENG

cod. 2090220





Spare parts list


Spare parts list cod. 2090220

| Ref. | Code | Substitute | Industrial code | Description | Notice |
|------|-----------|-------------|-----------------|--|--------|
| 001 | C00041017 | | | upper wash arm feed pipe | |
| 002 | C00075686 | | | jet gasket (31.42x2.62) | |
| 002 | C00103689 | 1 C00084600 | | jet gasket | |
| 003 | C00041030 | | | water jet - upper | |
| 004 | C00041031 | | | upper wash arm feed funnel | |
| 005 | C00041032 | | | upper wash arm support | |
| 006 | C00041033 | | | bush - upper wash arm | |
| 007 | C00041034 | | | upper wash arm | |
| 008 | C00103729 | 1 C00048202 | | lower wash arm | |
| 009 | C00041035 | | | bush - lower wash arm | |
| 010 | C00045479 | | | central filter basket/retainer- plastic | |
| 011 | C00041481 | | | sump filter tray - stainless | |
| 013 | C00041044 | | | support - lower wash arm bush | |
| 014 | C00041039 | | | outer fine filter cylinder | |
| 015 | C00042391 | | | pump junction pipe | |
| 016 | C00041046 | | | sump | |
| 017 | C00041040 | | | sump fixing ring | |
| 018 | C00041041 | | | gasket - sump fixing ring | |
| 019 | C00041043 | | | support washer | |
| 020 | C00041047 | | | sump filter support plate | |
| 021 | C00041045 | | | suction pipe coupling | |
| 025 | C00041487 | | | filter ring stainless | |
| 026 | C00103605 | | | microfilter gasket | |



pdf_tavola_title_ENG

cod. 2090320





Spare parts list

Spare parts list cod. 2090320


| Ref. | Code | Substitute | Industrial code | Description | Notice |
|------|-----------|-------------------------|-----------------|---|-----------------|
| 001 | C00041084 | | | water inlet air break | |
| 002 | C00005819 | | | salt funnel | |
| 003 | C00041088 | | | salt cap | |
| 004 | C00041089 | 1 C00041088 | | seal - salt cap | |
| 005 | C00041090 | | | retaining ring - softener | |
| 006 | C00103610 | | | seal - softener/wash chamber | |
| 007 | C00041484 | | | water softener (adjustable) + electrovalv | 0209015,0209015 |
| 007 | C00042323 | | | water hardness test strips | 0209015,0209015 |
| 007 | C00046992 | | | water softener (hard+++) assy+electrovalv | 0209015,0209015 |
| 008 | C00033618 | | | electrovalve (water softener) | |
| 009 | C00041085 | | | tube - softener/sump | |
| 012 | C00005572 | | | sealing washer-mains inlet hose | |
| 014 | C00041092 | | | radio interference suppressor | |
| 014 | C00076659 | | | radio interference suppressor | |
| 015 | C00041094 | | | pressure switch 2 levels | 0209027,0209027 |
| 015 | C00041095 | | | pressure switch 1 level | 0209027,0209027 |
| 015 | C00048306 | | | pressure switch 2 level | 0209027,0209027 |
| 016 | C00041096 | 1 C00103833 | | tube 840mm - pressure switch | |
| 016 | C00041097 | 1 C00041096,1 C00103833 | | pressure switch tube 420mm | |
| 017 | C00041102 | | | seal - drain pump | |
| 019 | C00041100 | 1 C00044712 | | drain pump 220-240v/50hz | |
| 020 | C00041101 | | | drain hose - to sink/plumbing | |
| 021 | C00041098 | | | support bracket - wash motor | |

| 022 | C00041099 | anti vibration ring-wash motor |
|-----|-----------|---|
| 023 | C00041104 | seal - pump/sump suction pipe |
| 024 | C00041105 | wash pump assy 0209008 |
| 025 | C00105360 | capacitor 5mf |
| 026 | C00041106 | wash motor/pump assy 220v- 0209008 50/60hz (kit) |
| 027 | C00041251 | thermostat 55øna/65øna +bracket |
| 027 | C00041531 | thermostat 45ø na |
| 028 | C00041086 | thermostat safety 78ønc |
| 029 | C00041103 | seal - pump/sump wash arm feed pipe |
| 030 | C00033616 | supply cable |
| 031 | C00033620 | seal - water inlet chamber/wash chamber |
| 032 | C00033619 | retaining ring - air break |
| 033 | C00041107 | support bracket - heating element |
| 034 | C00042838 | heating element 2400w/220v |
| 035 | C00033615 | terminal protection - heating element |
| 036 | C00041108 | support bracket - heating element |
| 039 | C00037205 | microswitch |
| 040 | C00037207 | inlet hose std antioverflow I 1930 mm |
| 041 | C00037216 | float - overflow unit |
| 042 | C00037217 | container - overflow unit |
| 043 | C00037210 | connection spout - overflow unit |
| 050 | C00043737 | switch - salt light (eledro) |
| 050 | C00043740 | switch - salt light (tecnoplastica) |
| 051 | C00048941 | sealing washer + filter |



pdf_tavola_title_ENG

cod. 2090420





Spare parts list

Spare parts list cod. 2090420

| Ref. | Code | Substitute | Industrial code | Description | Notice |
|------|-----------|-------------|-----------------|--|-------------------------|
| 002 | C00042949 | | | dashboard white | |
| 003 | C00039456 | 1 C00045466 | | red pilot lamp | |
| 004 | C00039340 | | | push-button - white 27 | |
| 005 | C00041184 | | | push button switch on/off(no+no) | |
| 005 | C00041261 | | | push button switch (change over) | |
| 005 | C00041469 | | | push button switch plus (no+change over) | |
| 005 | C00042126 | | | pushbutton switch nc+no+change over | |
| 006 | C00044653 | | | handle - white 27 | |
| 007 | C00041514 | | | timer eaton ec 4327.02 | 0209027,0209027,0209035 |
| 007 | C00041532 | | | timer bracket | 0209027,0209027,0209035 |
| 007 | C00042966 | | | harness eaton ec4327.02 | 0209027,0209027,0209035 |
| 007 | C00049746 | | | harness eaton ec4327.02 | 0209027,0209027,0209035 |
| 008 | C00041194 | | | microswitch | |
| 009 | C00041239 | 1 C00048970 | | door catch mechanism assy - white | |
| 010 | C00044841 | | | inner door panel (rectang. hole)-stainles | |
| 011 | C00033637 | | | gasket - detergent/rinse aid dispenser | |
| 012 | C00051755 | | | cap-rinse aid electrodispenser eltek/? | |
| 012 | C00104789 | | | detergent+rinseaid electrodispenser | |
| 015 | C00041178 | | | door damping pad | |
| 016 | C00033630 | | | door soundproofing | |
| 017 | C00043820 | | | fixing nut | |
| 018 | C00041260 | | | hinge spring | |
| 019 | C00041186 | | | adjustment lever - door spring | |

| 020 | C00041128 | | hinge assembly | 0209025,0209025 |
|-----|-----------|-------------|--------------------------------------|-----------------|
| 020 | C00049685 | | hinge assembly | 0209025,0209025 |
| 022 | C00041293 | | door decor frame - white | |
| 023 | C00041234 | 1 C00041536 | outer door panel - white 27 | |
| 025 | C00044083 | | hinge packing -triangular plastic | 0209025 |
| 030 | C00041288 | | handle cover flap - white 27 | |
| 032 | C00039470 | | spring - handle cover | |
| 034 | C00041526 | | knob disc timer white | |
| 035 | C00039473 | | knob mechanism push-push | |
| 035 | C00039483 | | timer knob white push-push | |
| 035 | C00040221 | | spring push-push | |
| 037 | C00048504 | | hinge pin | 0209025 |



Notices

n1045035

Lower gasket kit for Dishwasher LVS2000 tub.

On "LVS_2000" Dishwasher models, in the event of intervention for the replacement of the tub lower gasket, it is necessary to cut the old gasket flush with the door and use the Kit 056475 "LOWER GASKET KIT FOR TUB ON 'LVS 2000" which is fixed to the Tub with some springs attached.

n1045044

Changes to the terminal board of input cable of Dish-washer

New parts have been introduced on some models of Dishwashers, regarding a change of the input cable that does not has more the terminal board cod. 040987 and that introduces a new connection with a anti-jamming filter cod. 076659.

To introduce these new harnesses, the back and lower cross arms have been changed, too.

The new codes are the more recent ones with a numerical index. In case of intervention, the new code has to be substituted with the new one and the old code has been substituted with the old one

0209008

IMPROVED SEAL IN REPLACING DISHWASHER MOTOR

If it is necessary to replace motor code 041106-041747 or even just the pump code 041105, remember that it will be necessary to replace the exhaust pipe gasket code 041104 and the bottom pipe gasket code 041103.

Only in this way can a perfect seal be guaranteed between the pump and dishwasher sump.

0209015

SPECIAL ADJUSTABLE DECALCIFIER - ELEDRO

A special water softener that resolves the problem of hard water is available from the M.C.R. (Centralised

Spare Parts Warehouse) under SAT Code 046992.

High reticulation resins are used that permit softening hard water above 70 French degrees.

The part can only be mounted on the "Nuova

Aristella" models.

0209016

NEW BASE ON FREE-STANDING MODELS

As from serial no. 50608.0001 a new white moulding

code 046908 and a new black moulding code 047310 only for models LS603X, LS603XA, are mounted on all free standing Aristella one-door dishwasher models.

The new parts are not interchangeable with premodification parts that will continue to be available as usual.

0209021

NEW POST ASSEMBLIES + FRICTION PAD

As from serial no. 51209.0001 new front uprights and ferode plug are installed on free standing dishwashers.

The codes of the new parts are as follows:

Code 048283 - LH front upright unit;

Code 048284 - RH front upright unit;

Code 048287 - Ferode plug;

The new parts are not individually interchangeable with the premodification parts which will continue to be supplied (code

040970 LH front reinforcement, code 040983 RH front reinforcement).

POST ASSEMBLY/HINGE ASSEMBLY/HINGE PIN As from serial no. 60519.0001 the front upright units and the hinge unit have been modified on all free standing dishwasher models. A new hinge pin has also been fitted. (NB The ferode plug code 048287 has not been changed). The codes of the new parts are as follows: - Code 049681 - RH front upright unit; - Code 049682 - LH front upright unit; - Code 049685 - Hinge unit; - Code 048504 - Hinge pin; The new parts are not individually interchangeable with the premodification parts which will continue to be supplied (code 048284 RH front upright unit, code 048283 LH front upright unit, code 041128 hinge unit, code 044083 hinge stop block). Kit code 050169 has been introduced to simplify management of the uprights; consequently the various components will no longer be supplied individually. 0209027 PRESSURE SWITCH, ELECTRO-DISPENSER WITH LED, HIGH-END WIRING As from serial no. 60515.0001 a new pressure switch and modified wiring are used for production requirements on the top of the range dishwashers and on some models a new electric dispenser with polisher LED is used. The parts involved are as follows: LS605 - Code 048306 - Pressure switch; - Code 049753 - Eaton wiring EC4327; LS604NL - Code 048306 - Pressure switch; - Code 049745 - Eaton wiring EC4327; LS605UK - GB

- Code 048306 - Pressure switch;

- Code 049750 - Eaton wiring EC4327;

LS605ST - LS605STU - LS660GST - LS680ST - LS605STNX

| As from September '96 the worktop and the fixings on free standing dishwasher models have been modified. |
|--|
| 0209033 TOP AND FASTENING ANCHORS ON MODIFIED ARISTON UNITS |
| |
| The above parts are not interchangeable with the premodification parts and will continue to be supplied. |
| - Code 049740 - Electric dispenser with polisher LED; |
| - Code 049756 - Eaton wiring EC4327; |
| - Code 048306 - Pressure switch; |
| LS605TK |
| - Code 049740 - Electric dispenser with polisher LED; |
| - Code 049754 - Eaton wiring EC4327; |
| - Code 048306 - Pressure switch; |
| LS605STSK |
| - Code 049740 - Electric dispenser with polisher LED; |
| - Code 049757 - Eaton wiring EC4327; |
| - Code 048306 - Pressure switch; |
| LS6439 |
| - Code 049740 - Electric dispenser with polisher LED; |
| - Code 049760 - Eaton wiring EC4327; |
| - Code 048306 - Pressure switch; |
| LS609NL - LS609ST - LS609UK-GB - LS609STTK |
| - Code 049740 - Electric dispenser with polisher LED; |
| - Code 049758 - Eaton wiring EC4327; |
| - Code 048306 - Pressure switch; |
| LS6435 |
| - Code 049746 - Eaton wiring EC4327; |
| - Code 048306 - Pressure switch; |

The new parts are as follows:

LS603 - LS603NA - LS603XA - LS605NXST

page 17

- Code 050941 Black worktop;
- Code 044607 Worktop fixing;

LS603 - LS605 - LS609 - LS601 - LS601P - LS66/G

LS600 - LS68/S - LS6110 - LS609NL - LS603NL

LS6231 - LS6235 - LS6435 - LS6233 - LS6439

LS603A - LS605ST - LS609ST - LS604NL - LS612ST

LS612STUK - LS612STNL - LS603EX - LS603AG - LS601U

LS603UK-GB - LS605UK-GB - LS609UK-GB - LS605STU

LS601UK-GB - LS601A - LS602TK - LS605TK - LS609STTK

LS615ST - LS660GST - LS680ST - LS603CH - LS602A

- Code 050940 White worktop;
- Code 044607 Worktop fixing;

The new Worktops are interchangeable with the premodification parts only if the new fixings are used.

0209035

MODIFIED ELECTRICAL COMPONENTS AND DIAGRAMS

As from serial no. 50725.0001, the electrical connections on the wiring were modified on the following components on all top of the range dishwasher models:

- Stage one pressure switch (P1);
- Wash motor (ML);
- Extra dry switch (IEXD);
- Drain pump (PS);
- Heating element switch (ITR);
- Fast cycle switch (ICR);
- Regeneration electrovalve (EV2);
- Aquastop switch (IAQS);

Despite a different electrical layout, the new wiring is interchangeable with the premodification wiring; in the case of repairs the serial number must be checked and the correct layout used.

| Lower gasket kit for Dishwasher LVS2000 tub. |
|--|
| On "LVS_2000" Dishwasher models, in the event of intervention for the replacement of the tub lower gasket, it is necessary to cut the old gasket flush with the door and use the Kit 056475 "LOWER GASKET KIT FOR TUB ON 'LVS 2000'" which is fixed to the Tub with some springs attached. |
| |
| ~404F044 |
| n1045044 Changes to the terminal board of input cable of Dish-washer |
| New parts have been introduced on some models of Dishwashers, regarding a change of the input cable that does not has more the terminal boar cod. 040987 and that introduces a new connection with a anti-jamming filter cod. 076659. |
| To introduce these new harnesses, the back and lower cross arms have been changed, too. |
| The new codes are the more recent ones with a numerical index. In case of intervention, the new code has to be substituted with the new one and the old code has been substituted with the old one |
| 0209008 IMPROVED SEAL IN REPLACING DISHWASHER MOTOR |
| |
| If it is necessary to replace motor code 041106-041747 or even just the pump code 041105, remember that it will be necessary to replace the exhaust pipe gasket code 041104 and the bottom pipe gasket code 041103. |
| Only in this way can a perfect seal be guaranteed between the pump and dishwasher sump. |
| |
| |

0209015

SPECIAL ADJUSTABLE DECALCIFIER - ELEDRO

A special water softener that resolves the problem of hard water is available from the M.C.R. (Centralised

Spare Parts Warehouse) under SAT Code 046992.

High reticulation resins are used that permit softening hard water above 70 French degrees.

The part can only be mounted on the "Nuova

Aristella" models.

0209016

NEW BASE ON FREE-STANDING MODELS

As from serial no. 50608.0001 a new white moulding

code 046908 and a new black moulding code 047310 only for models LS603X, LS603XA, are mounted on all free standing Aristella one-door dishwasher models.

The new parts are not interchangeable with premodification parts that will continue to be available as usual.

0209021

NEW POST ASSEMBLIES + FRICTION PAD

As from serial no. 51209.0001 new front uprights and ferode plug are installed on free standing dishwashers.

The codes of the new parts are as follows:

Code 048283 - LH front upright unit;

Code 048284 - RH front upright unit;

Code 048287 - Ferode plug;

The new parts are not individually interchangeable with the premodification parts which will continue to be supplied (code

040970 LH front reinforcement, code 040983 RH front reinforcement).

0209025

POST ASSEMBLY/HINGE ASSEMBLY/HINGE PIN

As from serial no. 60519.0001 the front upright units and the hinge unit have been modified on all free standing dishwasher models.

A new hinge pin has also been fitted.

(NB The ferode plug code 048287 has not been changed).

The codes of the new parts are as follows:

- Code 049681 RH front upright unit;
- Code 049682 LH front upright unit;
- Code 049685 Hinge unit;

- Code 048504 - Hinge pin;

The new parts are not individually interchangeable with the premodification parts which will continue to be supplied (code 048284 RH front upright unit, code

048283 LH front upright unit, code 041128 hinge unit,

code 044083 hinge stop block).

Kit code 050169 has been introduced to simplify management of the uprights; consequently the various components will no longer be supplied individually.

0209027

PRESSURE SWITCH, ELECTRO-DISPENSER WITH LED, HIGH-END WIRING

As from serial no. 60515.0001 a new pressure switch and modified wiring are used for production requirements on the top of the range dishwashers and on some models a new electric dispenser with polisher LED is used.

The parts involved are as follows:

LS605

- Code 048306 Pressure switch;
- Code 049753 Eaton wiring EC4327;

LS604NL

- Code 048306 Pressure switch;
- Code 049745 Eaton wiring EC4327;

LS605UK - GB

- Code 048306 Pressure switch;
- Code 049750 Eaton wiring EC4327;

LS605ST - LS605STU - LS660GST - LS680ST - LS605STNX

- Code 048306 Pressure switch;
- Code 049746 Eaton wiring EC4327;

LS6435

- Code 048306 Pressure switch;
- Code 049758 Eaton wiring EC4327;
- Code 049740 Electric dispenser with polisher LED;

LS609NL - LS609ST - LS609UK-GB - LS609STTK

- Code 048306 - Pressure switch;

- Code 049760 Eaton wiring EC4327;
- Code 049740 Electric dispenser with polisher LED;

LS6439

- Code 048306 Pressure switch;
- Code 049757 Eaton wiring EC4327;
- Code 049740 Electric dispenser with polisher LED;

LS605STSK

- Code 048306 Pressure switch;
- Code 049754 Eaton wiring EC4327;
- Code 049740 Electric dispenser with polisher LED;

LS605TK

- Code 048306 Pressure switch;
- Code 049756 Eaton wiring EC4327;
- Code 049740 Electric dispenser with polisher LED;

The above parts are not interchangeable with the premodification parts and will continue to be supplied.

0209033

TOP AND FASTENING ANCHORS ON MODIFIED ARISTON UNITS

As from September '96 the worktop and the fixings on free standing dishwasher models have been modified.

The new parts are as follows:

LS603 - LS603NA - LS603XA - LS605NXST

- Code 050941 Black worktop;
- Code 044607 Worktop fixing;

LS603 - LS605 - LS609 - LS601 - LS601P - LS66/G

LS600 - LS68/S - LS6110 - LS609NL - LS603NL

LS6231 - LS6235 - LS6435 - LS6233 - LS6439

LS603A - LS605ST - LS609ST - LS604NL - LS612ST

LS612STUK - LS612STNL - LS603EX - LS603AG - LS601U

LS603UK-GB - LS605UK-GB - LS609UK-GB - LS605STU

LS601UK-GB - LS601A - LS602TK - LS605TK - LS609STTK

| - Code 044607 - Worktop fixing; |
|--|
| The new Worktops are interchangeable with the premodification parts only if the new fixings are used. |
| |
| |
| |
| 0209035 MODIFIED ELECTRICAL COMPONENTS AND DIAGRAMS |
| |
| As from serial no. 50725.0001, the electrical connections on the wiring were modified on the following components on all top of the range dishwasher models: |
| - Stage one pressure switch (P1); |
| - Wash motor (ML); |
| - Extra dry switch (IEXD); |
| - Drain pump (PS); |
| - Heating element switch (ITR); |
| - Fast cycle switch (ICR); |
| - Regeneration electrovalve (EV2); |

LS615ST - LS660GST - LS680ST - LS603CH - LS602A

- Code 050940 - White worktop;

- Aquastop switch (IAQS);

Despite a different electrical layout, the new wiring is interchangeable with the premodification wiring; in the case of repairs the serial number must be checked and the correct layout used.



Electric schemes and links

Cod. 209006a





Legend

Legend: 209006a

| A | Timer contact | LSS | Salt LED |
|-------|---|------|------------------------------------|
| AQS | Aquastop electrovalve | LV | Fan off lamp |
| В | Timer contact | L1 | Cycle 1 lamp |
| С | Condensor | L1/2 | Lamp cjcle half-load |
| C | Timer contact | L2 | Cycle 2 lamp |
| CL | Slow cam | L3 | Cycle 3 lamp |
| СМ | Wash pump motor connector | L4 | Cycle 4 lamp |
| CN | Connector | L5 | Cycle 5 lamp |
| CV | Fast cam | L6 | Cycle 6 lamp |
| D | Timer contact | М | Terminal box |
| DB | Brightener dispenser | МВ | Polisher dip-switch |
| DD | Display - Detergent dispenser | ME | Acquastop dip-switch |
| D-ED | Dispenser - Electric dosing device | ML | Wash motor |
| ECO | Saving switch | ММ | Handle dip-switch |
| ED | Detergent/Brightener dispenser | MP | Door dip-switch |
| EVC | Hot water electrovalve | MR | Delay-timer motor - Terminal board |
| EVF | Cold water electrovalve | МТ | Timer motor |
| EVR | Regeneration water electrovalve | MTR | Fast forward timer motor |
| EV1 | Cold water electrovalve MM- Handle dip- switch | MV | Motor fan |
| EV1/2 | Half-load electrovalve | Р | Pressure switch |
| EV2 | Regeneration electrovalve | P | Pressure switch contact |
| EV3 | Hot water electrovalve | PAP | High pressure switch |
| E1 | Cold water electrovalve | РО | Overflow pressure switch |
| E2 | Regeneration electrovalve | PS | Drain pump |
| E3 | Hot water electrovalve | PULS | Push-button panel |


| F | Anti-interference filter ML- Wash motor | P1 | Stage 1 pressure |
|--------|--|-------|---|
| FA | Radio interferences | P2 | Stage 2 pressure switch |
| IAQS | Aquastop switch | R | Heating element |
| ID | Switch display | RA | Heating element drying |
| IE | Saving switch | R.D. | Delay rotary selector |
| IEXD | Exstra dray switch | ROT. | Rotary selector |
| IG | Main switch | ROT D | Delay rotary selector |
| IMV | Off motor fan switch | S | Motor overload cutout |
| IP | High temperature switch | SC | Selector cycli |
| IS | Cut-off switch | SS | Salt detector |
| ISB | Polisher led switch | ST | START |
| ISS | Salt LED switch | Т | Delay-tymer contact |
| ITR | Heating element switch | Тср | nner-door earthing connection |
| I1 | On/Off switch - Plus cycle switch -IEC cycle switc | TE | Relay switch |
| 11/2 | Switch half-load | Tfa | Radio interference |
| 12 | Fast switch -IEC cycle switch (standard) - Switch f | THP | Thermoprotector |
| I2H | 2-hour delay switch | ТМ | Timer |
| 13 | Saving switch- Switch for cycle with no pre- wash | Tml | Pump wash motor earthing connection |
| 14 | Switch for cycle fresh dirty | Трд | Large door earthing connection |
| I4H | 4-hour delay switch | Трі | Inspection door earthing connection |
| I5-ICR | Fast cycle switch | Tpr | Pressure switch |
| 16 | Soak cycle switch | Tps | Discharge pump earthing connection |
| I6H | 6-hour delay switch | Tr | Heating element |
| L | Mains LED | TS | Safety thermostat |
| LA | Drying LED | TS 40 | Thermostat 40 ?C |
| LAQ | Aquastop on lamp | TS 50 | Thermostat 50 ?C |
| LC | Cycle ranning lamp | TS 62 | Thermostat 62 ?C |
| LD | Delay activated lamp | TS1 | Min. temperature thermostat |
| LE | Saving cycle | TS2 | Max. temperature thermostat |
| LH2 | 2-hour delay lamp | π | Terminal box support earth |
| LH4 | 4-hour delay lamp | Tte | Delay-timer earthing connection |
| LH6 | 6-hour delay lamp | Tti | Timer earthing connection |
| LL | Wash LED | T1 | Power supply earth cable -Thermostat 45?C |
| LP | High temperature LED | T2 | Lid earth -Thermostat 55?C |
| LPA | Door open | Т3 | Timer earth -Thermostat 65?C |
| LPR | Prewash LED | T36 | 36?C N.O. Thermostat |
| LRI | Rinse LED | T4 | Heating element earth |
| | | | |

| LS | Mains LED -Pilot lampe On/Off | T46 | 46?C N.O. Thermostat |
|-----|-------------------------------|-----|----------------------|
| LSB | Polisher LED | T5 | Drain pump earth |
| LSC | Cycle ranning lamp | T57 | 57?C N.O. Thermostat |
| LSE | Acquastop LED | T6 | Wash motor earth |



Electric schemes and links

Cod. 209030b





Legend

Legend: 209030b

| A | Timer contact | LSS | Salt LED |
|-------|---|------|------------------------------------|
| AQS | Aquastop electrovalve | LV | Fan off lamp |
| В | Timer contact | L1 | Cycle 1 lamp |
| С | Condensor | L1/2 | Lamp cjcle half-load |
| C | Timer contact | L2 | Cycle 2 lamp |
| CL | Slow cam | L3 | Cycle 3 lamp |
| СМ | Wash pump motor connector | L4 | Cycle 4 lamp |
| CN | Connector | L5 | Cycle 5 lamp |
| CV | Fast cam | L6 | Cycle 6 lamp |
| D | Timer contact | М | Terminal box |
| DB | Brightener dispenser | МВ | Polisher dip-switch |
| DD | Display - Detergent dispenser | ME | Acquastop dip-switch |
| D-ED | Dispenser - Electric dosing device | ML | Wash motor |
| ECO | Saving switch | ММ | Handle dip-switch |
| ED | Detergent/Brightener dispenser | MP | Door dip-switch |
| EVC | Hot water electrovalve | MR | Delay-timer motor - Terminal board |
| EVF | Cold water electrovalve | МТ | Timer motor |
| EVR | Regeneration water electrovalve | MTR | Fast forward timer motor |
| EV1 | Cold water electrovalve MM- Handle dip- switch | MV | Motor fan |
| EV1/2 | Half-load electrovalve | Р | Pressure switch |
| EV2 | Regeneration electrovalve | P | Pressure switch contact |
| EV3 | Hot water electrovalve | PAP | High pressure switch |
| E1 | Cold water electrovalve | РО | Overflow pressure switch |
| E2 | Regeneration electrovalve | PS | Drain pump |
| E3 | Hot water electrovalve | PULS | Push-button panel |


| F | Anti-interference filter ML- Wash motor | P1 | Stage 1 pressure |
|--------|--|-------|---|
| FA | Radio interferences | P2 | Stage 2 pressure switch |
| IAQS | Aquastop switch | R | Heating element |
| ID | Switch display | RA | Heating element drying |
| IE | Saving switch | R.D. | Delay rotary selector |
| IEXD | Exstra dray switch | ROT. | Rotary selector |
| IG | Main switch | ROT D | Delay rotary selector |
| IMV | Off motor fan switch | S | Motor overload cutout |
| IP | High temperature switch | SC | Selector cycli |
| IS | Cut-off switch | SS | Salt detector |
| ISB | Polisher led switch | ST | START |
| ISS | Salt LED switch | Т | Delay-tymer contact |
| ITR | Heating element switch | Тср | nner-door earthing connection |
| I1 | On/Off switch - Plus cycle switch -IEC cycle switc | TE | Relay switch |
| l1/2 | Switch half-load | Tfa | Radio interference |
| 12 | Fast switch -IEC cycle switch (standard) - Switch f | THP | Thermoprotector |
| I2H | 2-hour delay switch | ТМ | Timer |
| 13 | Saving switch- Switch for cycle with no pre- wash | Tml | Pump wash motor earthing connection |
| 14 | Switch for cycle fresh dirty | Трд | Large door earthing connection |
| I4H | 4-hour delay switch | Трі | Inspection door earthing connection |
| I5-ICR | Fast cycle switch | Tpr | Pressure switch |
| 16 | Soak cycle switch | Tps | Discharge pump earthing connection |
| I6H | 6-hour delay switch | Tr | Heating element |
| L | Mains LED | TS | Safety thermostat |
| LA | Drying LED | TS 40 | Thermostat 40 ?C |
| LAQ | Aquastop on lamp | TS 50 | Thermostat 50 ?C |
| LC | Cycle ranning lamp | TS 62 | Thermostat 62 ?C |
| LD | Delay activated lamp | TS1 | Min. temperature thermostat |
| LE | Saving cycle | TS2 | Max. temperature thermostat |
| LH2 | 2-hour delay lamp | π | Terminal box support earth |
| LH4 | 4-hour delay lamp | Tte | Delay-timer earthing connection |
| LH6 | 6-hour delay lamp | Tti | Timer earthing connection |
| Щ | Wash LED | T1 | Power supply earth cable -Thermostat 45?C |
| LP | High temperature LED | T2 | Lid earth -Thermostat 55?C |
| LPA | Door open | ТЗ | Timer earth -Thermostat 65?C |
| LPR | Prewash LED | T36 | 36?C N.O. Thermostat |
| LRI | Rinse LED | T4 | Heating element earth |
| | | | |

| LS | Mains LED -Pilot lampe On/Off | T46 | 46?C N.O. Thermostat |
|-----|-------------------------------|-----|----------------------|
| LSB | Polisher LED | T5 | Drain pump earth |
| LSC | Cycle ranning lamp | T57 | 57?C N.O. Thermostat |
| LSE | Acquastop LED | T6 | Wash motor earth |



Electric schemes and links

Cod. 209056b





Legend

Legend: 209056b

| A | Timer contact | LSS | Salt LED |
|-------|---|------|------------------------------------|
| AQS | Aquastop electrovalve | LV | Fan off lamp |
| В | Timer contact | L1 | Cycle 1 lamp |
| С | Condensor | L1/2 | Lamp cjcle half-load |
| C | Timer contact | L2 | Cycle 2 lamp |
| CL | Slow cam | L3 | Cycle 3 lamp |
| СМ | Wash pump motor connector | L4 | Cycle 4 lamp |
| CN | Connector | L5 | Cycle 5 lamp |
| CV | Fast cam | L6 | Cycle 6 lamp |
| D | Timer contact | М | Terminal box |
| DB | Brightener dispenser | МВ | Polisher dip-switch |
| DD | Display - Detergent dispenser | ME | Acquastop dip-switch |
| D-ED | Dispenser - Electric dosing device | ML | Wash motor |
| ECO | Saving switch | ММ | Handle dip-switch |
| ED | Detergent/Brightener dispenser | MP | Door dip-switch |
| EVC | Hot water electrovalve | MR | Delay-timer motor - Terminal board |
| EVF | Cold water electrovalve | MT | Timer motor |
| EVR | Regeneration water electrovalve | MTR | Fast forward timer motor |
| EV1 | Cold water electrovalve MM- Handle dip- switch | MV | Motor fan |
| EV1/2 | Half-load electrovalve | Р | Pressure switch |
| EV2 | Regeneration electrovalve | P | Pressure switch contact |
| EV3 | Hot water electrovalve | PAP | High pressure switch |
| E1 | Cold water electrovalve | PO | Overflow pressure switch |
| E2 | Regeneration electrovalve | PS | Drain pump |
| E3 | Hot water electrovalve | PULS | Push-button panel |

| F | Anti-interference filter ML- Wash motor | P1 | Stage 1 pressure |
|--------|--|-------|---|
| FA | Radio interferences | P2 | Stage 2 pressure switch |
| IAQS | Aquastop switch | R | Heating element |
| ID | Switch display | RA | Heating element drying |
| IE | Saving switch | R.D. | Delay rotary selector |
| IEXD | Exstra dray switch | ROT. | Rotary selector |
| IG | Main switch | ROT D | Delay rotary selector |
| IMV | Off motor fan switch | S | Motor overload cutout |
| IP | High temperature switch | SC | Selector cycli |
| IS | Cut-off switch | SS | Salt detector |
| ISB | Polisher led switch | ST | START |
| ISS | Salt LED switch | Т | Delay-tymer contact |
| ITR | Heating element switch | Тср | nner-door earthing connection |
| I1 | On/Off switch - Plus cycle switch -IEC cycle switc | TE | Relay switch |
| l1/2 | Switch half-load | Tfa | Radio interference |
| 12 | Fast switch -IEC cycle switch (standard) - Switch f | THP | Thermoprotector |
| I2H | 2-hour delay switch | ТМ | Timer |
| 13 | Saving switch- Switch for cycle with no pre- wash | Tml | Pump wash motor earthing connection |
| 14 | Switch for cycle fresh dirty | Трд | Large door earthing connection |
| I4H | 4-hour delay switch | Трі | Inspection door earthing connection |
| I5-ICR | Fast cycle switch | Tpr | Pressure switch |
| 16 | Soak cycle switch | Tps | Discharge pump earthing connection |
| I6H | 6-hour delay switch | Tr | Heating element |
| L | Mains LED | TS | Safety thermostat |
| LA | Drying LED | TS 40 | Thermostat 40 ?C |
| LAQ | Aquastop on lamp | TS 50 | Thermostat 50 ?C |
| LC | Cycle ranning lamp | TS 62 | Thermostat 62 ?C |
| LD | Delay activated lamp | TS1 | Min. temperature thermostat |
| LE | Saving cycle | TS2 | Max. temperature thermostat |
| LH2 | 2-hour delay lamp | π | Terminal box support earth |
| LH4 | 4-hour delay lamp | Tte | Delay-timer earthing connection |
| LH6 | 6-hour delay lamp | Tti | Timer earthing connection |
| Щ | Wash LED | T1 | Power supply earth cable -Thermostat 45?C |
| LP | High temperature LED | T2 | Lid earth -Thermostat 55?C |
| LPA | Door open | ТЗ | Timer earth -Thermostat 65?C |
| LPR | Prewash LED | T36 | 36?C N.O. Thermostat |
| LRI | Rinse LED | T4 | Heating element earth |
| | | | |

| LS | Mains LED -Pilot lampe On/Off | T46 | 46?C N.O. Thermostat |
|-----|-------------------------------|-----|----------------------|
| LSB | Polisher LED | T5 | Drain pump earth |
| LSC | Cycle ranning lamp | T57 | 57?C N.O. Thermostat |
| LSE | Acquastop LED | T6 | Wash motor earth |